

# POSI-LOCK CONNECTORS

POSI-LOCK CONNECTORS	POSI-TAP CONNECTORS	POSI-TWIST CONNECTORS	POSI-SEAL WEATHERTITE CONNECTORS	POSI-TITE WATERTITE CONNECTORS	POSI-FUSE FUSE CONNECTORS
<ul style="list-style-type: none"> <li>VIBRATION PROOF</li> <li>HIGH TEMP</li> <li>OEM SPECIFIED</li> <li>REUSABLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire 1cm</li> <li>Insert</li> <li>Tighten by hand</li> </ol> <p><b>lock it.</b> with: <b>Posi-Lock</b></p>	<ul style="list-style-type: none"> <li>NO CRIMPING</li> <li>DOESN'T CUT WIRE</li> </ul> <ol style="list-style-type: none"> <li>Insert</li> <li>Tighten</li> <li>Strip Wire &amp; Insert</li> <li>Tighten</li> </ol> <p>For 2 or more wires, twist</p> <p><b>tap it.</b> with: <b>Posi-Tap</b></p>	<ul style="list-style-type: none"> <li>MULTI-WIRE</li> <li>HIGH TEMP</li> <li>VIBRATION PROOF</li> <li>REUSABLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire 1.5cm</li> <li>Twist together</li> <li>Insert</li> <li>Tighten</li> </ol> <p><b>twist it.</b> with: <b>Posi-Twist</b></p>	<ul style="list-style-type: none"> <li>WEATHERTITE</li> <li>NO CRIMPING</li> <li>HIGH TEMP</li> <li>REUSABLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire 1cm</li> <li>Insert</li> <li>Tighten by hand</li> </ol> <p>Rubber Seal around wire insulation Rubber Seal on threads fully seats WeatherTite Connection Complete!</p> <p><b>seal it.</b> with: <b>Posi-Seal</b></p>	<ul style="list-style-type: none"> <li>NO CRIMPING</li> <li>FULLY SUBMERSIBLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire &amp; pass through cap</li> <li>Push wire while twisting seal. Wire end protrudes through wire guide &amp; insulation into seal.</li> <li>Hand tighten to threaded female. Repeat other side.</li> </ol> <p><b>watertite it.</b> with: <b>Posi-Tite</b></p>	<ul style="list-style-type: none"> <li>VIBRATION PROOF</li> <li>HIGH TEMP</li> <li>REUSABLE</li> <li>MULTI-WIRE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire, Insert</li> <li>Insert Fuse</li> <li>Tighten</li> </ol> <p><b>fuse it.</b> with: <b>Posi-Fuse</b></p>

**No Crimping • Reusable • Vibration Proof • High Temperature • No Tools Needed**

**Posi-Lock** multi-strand wire connectors are so advanced they challenge all other methods of connecting wires, including the traditional time consuming solder methods, and provide equally rated connections under SAE requirements.

Automotive and Truck original equipment manufacturers and Aftermarket fitting services are now recognising the benefits to be gained from using the Posi-Lock fully insulated stranded wire connector solutions, with a minimum of fuss and time loss.

The Posi-Lock connectors meet or exceed SAEJ1211:

- Section 3.2.3 Salt Spray Test
- Section 3.2.4 Immersion And Splash Test
- Section 3.2.5 Dust, Sand And Gravel Test
- Section 3.2.7 Mechanical Vibration
- Section 3.2.8 Mechanical Shock
- Section 3.2.1 Temperature Test

**The Posi-Tap** connector enables positive inline tapping of power cables without cutting any strand wires in the host cable. Up to 4 leads at once can be connected to the one Posi-Tap. The ease of use enables power to be tapped in hard to reach out of the way cables without the necessity of cutting, soldering or terminating the cables.

**Posi-Twist** is the economy model in the range which is made from 100% nylon 66 with 80% less resistance than crimp terminals. Suitable for non in-line connections, it complies with all SAEJ1211 test requirements and provides a fast, strong, vibration-proof connection for multi-wire situations.

**The Posi-Seal** connector uses rubber seals on threads to completely seal out any contaminants, eliminating any need for heat shrink or dielectric grease. It also meets SAEJ1211 test requirements.

**The Posi-Tite** is the world's first no crimp, reusable, watertite connector and exceeds the very stringent SAE/USCAR-2 5.6.5 submersion test.

**Posi-Fuse** allows you to wire reusable fuseholders using no crimps or tools, which are vibration proof, high temperature resistant and can take multi-wires for round or blade fuses.

Recent additions to the range include **Gold Plated Connectors** for installation of mobile electronics and sound equipment, where the best possible connection is required. The most popular items are presented in complete kits for easy selection.

# POSI-LOCK MERCHANDISER

## POSI-LOCK MERCHANDISER

PART NO. 630SK



**\* NEW \***  
**'600 SERIES' POSI-PRODUCT**  
**SIDEKICK DISPLAY STAND**

**COMPLETE WITH STOCK (24 pcs):**

**1 EACH PART NO's 600 to 615**

**2 EACH PART NO's 616 to 619**



A.W.G. (B+S)	AUTO CABLE TERMINOLOGY	AUTO mm <sup>2</sup>	Stranding
17	3mm	1.13	14/.32
15	4mm	1.84	26/.30
13	5mm	2.90	41/.30
11	6mm	4.59	65/.30

# POSI-LOCK CONNECTORS

NOTE: Colours May Vary to Description & Image

POSI-LOCK CONNECTORS				
DESCRIPTION	STOCK CODE	OUTER QTY	APN BARCODE	PRODUCT
PL1824 18-24AWG RED - 9 pcs	600	5	 0 635 610 056002	 <ul style="list-style-type: none"> <li>• VIBRATION PROOF</li> <li>• HIGH TEMP</li> <li>• OEM SPECIFIED</li> <li>• REUSABLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire 1cm</li> <li>Insert</li> <li>Tighten by hand</li> </ol> <p><b>lock it.</b> with: <b>Posi-Lock®</b></p>
PL1416 14-16AWG BLUE - 9 pcs	601	5	 0 635 610 056019	
PL1012 10-12AWG YELLOW - 7 pcs	602	5	 0 635 610 056026	
POSI-LOCK CONNECTOR ASSORTMENT PACK 3 of each - 9 pcs	603	5	 0 635 610 056033	

POSI-TAP LINE TAP CONNECTORS				
DESCRIPTION	STOCK CODE	OUTER QTY	APN BARCODE	PRODUCT
PTA2022 20-22AWG RED - 6 pcs	604	5	 0 635 610 056040	 <ul style="list-style-type: none"> <li>• NO CRIMPING</li> <li>• DOESN'T CUT WIRE</li> </ul> <ol style="list-style-type: none"> <li>Insert</li> <li>Tighten</li> <li>Strip Wire &amp; Insert</li> <li>Tighten</li> </ol> <p>For 2 or more wires, twist</p> <p><b>tap it.</b> with: <b>Posi-Tap®</b></p>
PTA1618 16-18AWG BLUE - 6 pcs	605	5	 0 635 610 056057	
PTA1218 12-18AWG BLACK - 6 pcs	606	5	 0 635 610 056064	
POSI-TAP LINE TAP ASSORTMENT PACK 2 of each - 6 pcs	607	5	 0 635 610 056071	

POSI-TWIST CONNECTORS				
DESCRIPTION	STOCK CODE	OUTER QTY	APN BARCODE	PRODUCT
PT1826 18-26AWG GREY - 25 pcs	608	5	 0 635 610 056088	 <ul style="list-style-type: none"> <li>• MULTI-WIRE</li> <li>• HIGH TEMP</li> <li>• VIBRATION PROOF</li> <li>• REUSABLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire 1.5cm</li> <li>Twist together</li> <li>Insert</li> <li>Tighten</li> </ol> <p><b>twist it.</b> with: <b>Posi-Twist™</b></p>
PT1424 14-24AWG BLUE - 18 pcs	609	5	 0 635 610 056095	
PT1022 10-22AWG RED - 12 pcs	610	5	 0 635 610 056101	
POSI-TWIST ASSORTMENT PACK 10-26AWG - 16 pcs	611	5	 0 635 610 056118	

# POSI-LOCK CONNECTORS

NOTE: Colours May Vary to Description & Image

POSI-SEAL WEATHERTITE CONNECTORS				
PRODUCT	APN BARCODE	DESCRIPTION	STOCK CODE	OUTER QTY
<ul style="list-style-type: none"> <li>WEATHERTITE</li> <li>NO CRIMPING</li> <li>HIGH TEMP</li> <li>REUSABLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire 1cm</li> </ol> <p>Rubber Seal around wire insulation</p> <ol style="list-style-type: none"> <li>Insert</li> </ol> <p>Rubber Seal on threads fully seals</p> <ol style="list-style-type: none"> <li>Tighten by hand</li> </ol> <p>Weatherite Connection Complete!</p> <p><b>seal it.</b> with: <b>Posi-Seal™</b></p>	 0 635610 056125	PS1800 18AWG RED - 4 pcs	612	5
	 0 635610 056132	PS1416 14-16AWG BLUE - 4 pcs	613	5
	 0 635610 056149	PS1200 12AWG YELLOW - 4 pcs	614	5
	 0 635610 056156	PS1000 10AWG GREEN - 4 pcs	615	5

POSI-TITE WATERTITE CONNECTORS				
PRODUCT	APN BARCODE	DESCRIPTION	STOCK CODE	OUTER QTY
<ul style="list-style-type: none"> <li>NO CRIMPING</li> <li>FULLY SUBMERSIBLE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire &amp; pass through cap</li> </ol> <ol style="list-style-type: none"> <li>Push wire while twisting seal. Wire end protrudes through wire guide &amp; insulation into seal.</li> </ol> <ol style="list-style-type: none"> <li>Hand tighten to threaded female. Repeat other side.</li> </ol> <p><b>watertite it.</b> with: <b>Posi-Tite™</b></p>	 0 635610 056163	WT1800 18-20AWG RED - 3 pcs	616	5
	 0 635610 056170	WT1416 14-16AWG BLUE - 3 pcs	617	5

POSI-FUSE FUSE HOLDERS/CONNECTORS				
PRODUCT	APN BARCODE	DESCRIPTION	STOCK CODE	OUTER QTY
<ul style="list-style-type: none"> <li>VIBRATION PROOF</li> <li>HIGH TEMP</li> <li>REUSABLE</li> <li>MULTI-WIRE</li> </ul> <ol style="list-style-type: none"> <li>Strip Wire, Insert</li> <li>Insert Fuse</li> <li>Tighten</li> </ol> <p><b>fuse it.</b> with: <b>Posi-Fuse™</b></p>	 0 635610 056187	FF1218 POSI-FUSE BLADE FUSE HOLDER 12-18AWG (ATC/ATO/MINI - 2A-30A) BLACK - 2 pcs	618	5
	 0 635610 056194	FR1218 - POSI-FUSE ROUND FUSE HOLDER 12-18AWG (3/4 - 1 1/4 - TO 30A) NATURAL- 3 pcs	619	5

# POSI-LOCK CONNECTORS

## POSI-TWIST MINI KIT

DESCRIPTION	STOCK CODE	OUTER QTY	APN BARCODE	PRODUCT
POSI-TWIST CONNECTOR GREY 20 - 24 AWG 4 pcs	620	20	 9 313853 006206	

## POSI-PRODUCTS GOLD PLATED SERIES

DESCRIPTION	STOCK CODE	OUTER QTY	APN BARCODE	PRODUCT
GOLD PLATED STEREO/ RADIO WIRE HARNESS CONNECTOR KIT- 16 pcs	500	6	 0 635610 055005	
GOLD PLATED ACCESSORY LIGHT CONNECTOR KIT- 6 pcs	501	6	 0 635610 055012	
GOLD PLATED SPEAKER REPLACEMENT CONNECTOR KIT- 8 pcs	502	6	 0 635610 055029	
GOLD PLATED REMOTE START/ALARM CONNECTOR KIT- 19 pcs	503	6	 0 635610 055036	
GOLD PLATED SATELLITE RADIO 'PLUG & PLAY' CONNECTOR KIT- 3 pcs	504	6	 0 635610 055043	

## POSI-PRODUCT ASSORTMENT KIT

DESCRIPTION	STOCK CODE	OUTER QTY	APN BARCODE
POSI-PRODUCT ASSORTMENT KIT	PLK113	1	 9 313853 0065005

### 110 PIECES INCLUDING:

- In-Line Blade and Glass Fuse Holders
- Posi-Twist Connectors
- Posi-Seal & Watertite Connectors
- Posi-Tap Connectors
- Posi-Lock Connectors
- Weathertite Rubber Boots



FF1218 IN-LINE BLADE FUSE HOLDERS 2 pcs 12-18G	PT1022R POSI-TWIST CONNECTORS 6 pcs 10-22G	PS1416 POSI-SEAL CONNECTORS 4 pcs 14-16G	EX-130RR POSI-TAP CONNECTORS 6 pcs 20-22G	PL0812 POSI-LOCK CONNECTORS 6 pcs 08-12G	PW0810 WEATHERTITE RUBBER BOOTS 2 pcs 08-10G
FR1218 IN-LINE GLASS FUSE HOLDERS 4 pcs 12-18G	PT1424 POSI-TWIST CONNECTORS 8 pcs 14-24G	PS1822B POSI-SEAL WATERTITE CONNECTORS 6 pcs 18-22G	EX-150B POSI-TAP CONNECTORS 6 pcs 14-18G	PL1218 POSI-LOCK CONNECTORS 8 pcs 12-18G	PW1218 WEATHERTITE RUBBER BOOTS 4 pcs 12-18G
	PT2026 POSI-TWIST CONNECTORS 20 pcs 20-22G	PS1822R POSI-SEAL WATERTITE CONNECTORS 6 pcs 18-22G	EX-140R POSI-TAP CONNECTORS 6 pcs 12-18G	EX-280 POSI-LOCK CONNECTORS 10 pcs 18-24G	PL0810 POSI-LOCK CONNECTORS 6 pcs 08-10G