



WORKSHOP MAINTENANCE



YEARS
1947 - 2017



INC100

Battery Charger / Power Supply



ANDERSON PLUG
Featuring interchangeable power cords

FEATURES:

- Variable Charge Rates – 4/20/70 Amps
- Digital Volts and Amps Display
- Manual Mode with Digital Timer
- Microprocessor Controlled Operation
- Multiple Output Cable selection
 - 3 meters - 4 gauge
 - 4 meters - 2 gauge
 - 5 meters - 2 gauge
- Exchangeable Power Cord
 - To accommodate different regional users
- Heavy-duty Clamps with replaceable jaws

POWER SUPPLY FEATURES:

VOLTAGE: Constant Voltage Output
- Selectable from
13.0 To 14.8v Dc

OUTPUT: Output Current Up To
100 Amps For 3 Minutes

70 Amps Continuous Output
Current



OBD-L

ON-BOARD DIAGNOSTICS II MEMORY SAVER DETECTOR



OBDII MEMORY SAVER DETECTOR

**AUTOMATICALLY DETECTS IF THE VEHICLE'S ELECTRONICS
WILL ALLOW THIS DEVICE TO SAVE ON-BOARD DATA**

FEATURES:

- Fully automatic
- Standard fuse protected auxiliary input plug
- Easy to follow 3-step instructions printed on unit
- LED indicators
 - Two yellow LEDs at each end indicate that the OBDII port connection and the connection to the portable power unit are sound.
 - Red LED (Do Not Proceed) or Green LED (Proceed) indicate whether it is safe to remove or service the vehicle's battery without fear of losing data stored in the vehicle's microprocessor controlled devices.
- Works on all vehicles equipped with a standard On-Board Data (OBDII) port

SPECIFICATIONS:

- CONTENTS:**
- (1) Schumacher OBD-L Memory Saver Detector
 - (1) Owner's Manual



SCI90

6V/12V 3/12 ◀▶ 30/100A
150 PEAK AMPS

**AUTOMATIC BATTERY
JUMPSTARTER/
CHARGER/
MAINTAINER**



**FULLY AUTOMATIC
MICROPROCESSOR-CONTROLLED
CHARGER**

FEATURES:

Charges and automatically desulfates and restores car, truck, RV, farm equipment, AGM, gel cell and deep-cycle batteries.

3 Amp Slow Charge for charging and maintaining small batteries; charges motorcycle, ATV, snowmobile and lawn tractor batteries.

- 100 Amp Engine Start - for emergency jumpstarting
- 12↔30 Amp Fast Charge - self-adjusting, variable charge rates for everyday charging needs and maintaining your battery in peak condition.
- 125 Amp Sure-Grip Clamps for top and side-mounted battery posts.
- Electronic Touch-Pad Controls for Digital Display, Battery Type or Charge/Start.
- Choose from 12V regular automotive, 12V deep-cycle, 12V AGM or gel cell and 6V regular batteries.
- LED indicators show: Connected, Charging and Charged.
- Built-in Digital Voltmeter/Tester - helps diagnose problems
- Cord wrap on back

SPECIFICATIONS:

CONTENTS: (1) Schumacher SCI90 Automatic Charger with Clamps & Tester

(1) Owner's Manual

RATING AGENCY: CE - CE

WARRANTY PERIOD: 2 Year

MICROPROCESSOR CONTROLLED

- Multi-stage charging for added precision, safety and battery life

FLOAT-MODE MONITORING

- Automatically maintains optimum battery charge

AUTO-VOLTAGE DETECTION

- Automatically detects 6 or 12 volt batteries

REVERSE HOOK-UP PROTECTION

- Charger will not operate if clamps are reversed on battery terminals

DESULFATION MODE

- Special mode of operation designed for sulfated batteries